


People.Health.Care.

Unique Mode of Action

 Lifts, binds, and removes slough and debris, including biofilm





See the Debrisoft® Difference through clinical outcomes.

Venous leg ulcer w/hyperkeratotic scales in the periwound area






Wound clinic: Venous insufficiency ulcer and dermatitis with residue and hyperkeratotic scales in periwound area.

Debrisoft® was first used to cleanse and de-scale periwound area before addressing the wound.

Venous leg ulcer w/hyperkeratotic scales in the periwound area





Wound clinic: Venous ulcer from before. Result after 2-3 minutes debridement with another Debrisoft® to remove loose debris.

Pressure injury





Long-term care: Very painful wound. Debrisoft® used for 2 minutes with no complaints of pain.

Mixed leg ulcer





Debrisoft® was first used to remove the dense fibrinous membrane from the outer wound bed. Next sharp debridement was used to remove the eschar in the center of the wound bed. Finally, Debrisoft was again utilized to remove the remaining necrotic remnants.

Debrisoft® Pad and Lolly

sterile, individually-sealed

Size	Item No.	
Pad		
10 cm x 10 cm (4" x 4")	31222	
13 cm x 20 cm (5" x 8")	34323	
Lolly		
5 cm x 1.9 cm (2" x 0.76")	33224	